

CHALLENGER DESIGNS

REFINED STYLE. UNMATCHED DURABILITY.

OUTDOOR KITCHEN

2024 Catalog

Effective March 1, 2024

CHALLENGER DESIGNS

MSRP = .50 of LIST

DOOR | HANDLE STYLE OPTIONS



Pan Door



Shaker Door



Ribbed Shaker Door

9" Stainless Steel Pull



9" Stainless Steel Black Pull



3 DRAWER BASE



1 Drawer: 5.5"H
Drawer 2 -3: 9.75"H

ITEM	WIDTH
3ODBC-153528	15"
3ODBC-183528	18"
3ODBC-213528	21"
3ODBC-243528	24"
3ODBC-273528	27"
3ODBC-303528	30"
3ODBC-333528	33"

4 DRAWER BASE



Drawers 1-3: 5.5"H
Drawer 4: 7"H

ITEM	WIDTH
4ODBC-153528	15" W
4ODBC-183528	18" W
4ODBC-213528	21" W
4ODBC-243528	24" W
4ODBC-273528	27" W
4ODBC-303528	30" W
4ODBC-333528	33" W

SINK BASE



False Panel at Top
18" - 24" = 1 Door (LH or RH)
27" - 48" = 2 Door (LH/RH)
No shelf, No drawer

ITEM	WIDTH
OSB-183528	18"
OSB-213528	21"
OSB-243528	24"
OSB-273528	27"
OSB-303528	30"
OSB-333528	33"
OSB-363528	36"
OSB-393528	39"
OSB-423528	42"
OSB-453528	45"
OSB-483528	48"

APRON (FARMHOUSE) SINK BASE



For Beverage Centers & Apron Sinks

ITEM	WIDTH
OASB-303528	30"
OASB-363528	36"
OASB-393528	39"
OASB-423528	42"
OASB-453528	45"
OASB-483528	48"

ADA SINK BASE



False Panel at Top
Includes 4 ADA Legs (1 1/2" h)
Removable panel for plumbing access

ITEM	WIDTH
OSB-363228 ADA	36
OSB-393228 ADA	39
OSB-423228 ADA	42"
OSB-453228 ADA	45"
OSB-483228 ADA	48"

ADA SINK BASE REQUIRES CUSTOMER SUPPLIED SINK

DRAWER/DOOR BASE



1 Drawer: 5.5"H
1 Full Width Adj Shelf
12" - 24" = 1 Door (LH or RH)
27" - 48" = 2 Door (LH/RH)

ITEM	WIDTH
OSDDB-153528	15"
OSDDB-183528	18"
OSDDB-213528	21"
OSDDB-243528	24"
OSDDB-273528	27"
OSDDB-303528	30"
OSDDB-333528	33"
OSDDB-363528	36" (2 drawers)
OSDDB-393528	39" (2 drawers)
OSDDB-423528	42" (2 drawers)
OSDDB-453528	45" (2 drawers)
OSDDB-483528	48" (2 drawers)

DOOR BASE



1 Full Width Adj Shelf
12" - 24" = 1 Door (LH or RH)
27" - 54" = 2 Door (LH/RH)

ITEM	WIDTH
ODB-123528	12"
ODB-153528	15"
ODB-183528	18"
ODB-213528	21"
ODB-243528	24"
ODB-273528	27"
ODB-303528	30"
ODB-333528	33"
ODB-363528	36"
ODB-393528	39"
ODB-423528	42"
ODB-453528	45"
ODB-483528	48"
ODB-543528	54"
ODB-123512	12"
ODB-153512	15"
ODB-183512	18"
ODB-213512	21"
ODB-243512	24"
ODB-273512	27"
ODB-303512	30"
ODB-333512	33"
ODB-363512	36"
ODB-393512	39"
ODB-423512	42"
ODB-453512	45"
ODB-483512	48"
ODB-543512	54"

**12" d cabinets must be secured to another cabinet or wall

PENISULA BASE



1 Full Width Adj Shelf
12" - 24" = 1 Door (LH or RH)
27" - 54" = 2 Door (LH/RH)

ITEM	WIDTH
OPDB-123528	12"
OPDB-153528	15"
OPDB-183528	18"
OPDB-213528	21"
OPDB-243528	24"
OPDB-273528	27"
OPDB-303528	30"
OPDB-333528	33"
OPDB-363528	36"
OPDB-393528	39"
OPDB-423528	42"
OPDB-453528	45"
OPDB-483528	48"
OPDB-543528	54"

Door Options: 2-RH, 2-LH or 1RH with 1LH

BUILT IN APPLIANCE BASE



ITEM	WIDTH
BIAB-303528	30"
BIAB-363528	36"
BIAB-393528	39"
BIAB-423528	42"
BIAB-483528	48"

INTERNAL SLIDE OUT/DOOR BASE



ITEM	WIDTH
OISDB-153528	15"
OISDB-183528	18"
OISDB-213528	21"
OISDB-243528	24"

2 Internal Non Adjustable Slide Outs (1 Top Middle, 1 Floor Mount)
1 Door (LH or RH)

INSIDE CORNER BASE



ITEM	WIDTH
OICCB-403528	40"

1 Door (LH or RH)
1 Full Width Adj Shelf
Door Width = 13.75"
CANNOT be at End of Cabinet Run or Beside Opening

BLIND BASE



ITEM	WIDTH
OBBC-483528	48"

1 Door (LH or RH)
1 Full Width Adj Shelf
3" Filler panel recommended for door clearance

BLIND BASE w/ REAR ACCESS



ITEM	WIDTH
OBBCRA-483528	48"

2- Door (LH or RH)
1 Full Width Adj Shelf
3" Filler panel recommended for door clearance

PULL OUT PROPANE BASE



ITEM	WIDTH
OPC-213528	21"

Vented
1 Drawer: 5.5"H
Slide Out Tray for LP Tank (20 lb. only)

DROP-IN PROPANE BASE



Vented
 1 Drawer: 5.5"H, 1 Door (LH or RH)
 Laser Cut Hole for LP Tank (20 lb. only) in Floor

ITEM	WIDTH
ODPC-183528	18"
ODPC-213528	21"
ODPC-243528	24"

DROP-IN PROPANE BASE (FULL DOOR)



Vented
 1 Drawer: 5.5"H, 1 Door (LH or RH)
 Laser Cut Hole for LP Tank (20 & 30 lb. only) in floor

ITEM	WIDTH
ODPFD-183528	18"
ODPFD-213528	21"
ODPFD-243528	24"

WASTE BIN



1 Drawer: 5.5" H
 Slide Out Waste Bin Tray
 15" & 18" Single Waste Bin
 21" & 24" Double Waste Bin (7 gallon bin)

ITEM	WIDTH
OWBC-153528	15"
OWBC-183528	18"
OWBC-213528	21"
OWBC-243528	24"

OUTDOOR VENTED BASE **NEW******



28" deep ONLY

ITEM	WIDTH
OVBC-362528	36"
OVBC-392528	39"
OVBC-422528	42"
OVBC-452528	45"
OVBC-482528	48"
OVBC-542528	54"

END CABINET-PET BASE **NEW******



2 Stainless Bowls included

ITEM	WIDTH
PET-283512	28"

OPEN SHELF



CANNOT be used
 with an Outdoor Island Base

ITEM	WIDTH
OOSU-243528	24"

OPEN STORAGE



1 Adjustable Shelf
 Powder Coat Finished Interior
 Comes with finished sides

ITEM	WIDTH
OOCU-243528	24"

OPEN 3 SHELF STORAGE



Fixed Black Shelves

ITEM	WIDTH
OOSB-243528	24"
OOSB-303528	30"
OOSB-363528	36"

GAS GRILL BASE - DEEP CUT



2 Door (LH/RH)
 Vented in Floor and Back Panel
 Custom Appliance Skirt at Top: 16" Tall
 Does not Accommodate a LP Tank

ITEM	WIDTH
OGGBD-363528	36"
OGGBD-393528	39"
OGGBD-423528	42"
OGGBD-453528	45"
OGGBD-483528	48"

GAS GRILL / SIDE BURNER BASE



Appliance Skirt: 12" Tall
 18" - 27" - Side Burner
 30" - 66" - Gas Grill Base
 12" - 24" = 1 Door (LH or RH)
 27" - 48" = 2 Door (LH/RH)
 51" - 54" = 3 Door (LH/RH/RH)
 57" - 66" = 4 Door (LH/RH/LH/RH)
 Vented in Floor and Back Panel
 Does not Accommodate LP Tank

ITEM	WIDTH
OGGB-183528	18"
OGGB-213528	21"
OGGB-243528	24"
OGGB-273528	27"
OGGB-303528	30"
OGGB-333528	33"
OGGB-363528	36"
OGGB-393528	39"
OGGB-423528	42"
OGGB-453528	45"
OGGB-483528	48"
OGGB-513528	51"
OGGB-543528	54"
OGGB-573528	57"
OGGB-603528	60"
OGGB-633528	63"
OGGB-663528	66"
OGGB-423532	42"
OGGB-483532	48"
OGGB-543532	54"
OGGB-603532	60"
OGGB-663532	66"

GAS GRILL BASE w/WARMING DRW



ITEM	WIDTH
OGGWDB-363528	36"
OGGWDB-423528	42"
OGGWDB-483528	48"
OWDDB-363528 (For Warming Drawer Only - No Grill)	36"

Custom Appliance Skirt at Top: 12" Tall
 Custom False Panel in Bottom Front for Warming Drawer
 Vented in Floor and Back Panel
 Does not Accommodate a LP Tank

GRILL BASE w/DOOR & DRW



ITEM	WIDTH
ODDGGB-363528	36"
ODDGGB-393528	39"
ODDGGB-423528	42"
ODDGGB-453528	45"
ODDGGB-483528	48"

Appliance Skirt: 12" Tall
 Drawer 1 & 2: 7.2" H
 1 Door (RH ONLY) 15.69" W x 16" H
 Sub floor over drawers; 12" from top of cabinet
 Vented in Back Panel
 Does not Accommodate a LP Tank

MEMPHIS CONTROL PANEL BASE



ITEM	WIDTH
OMCB-183528L	18"

False Panel at Top
 Offered as Left Hinge ONLY, Install on Left of Grill Base
 Does NOT include Control Panel Box

EVO GRILL BASE



ITEM	WIDTH
OEGB-363528	FOR 25G
OEGB-393534	FOR 30G

2 Door (LH/RH)
 Does not Accommodate a LP Tank
 1 1/2" front countertop overhang required

POWER BURNER BASE



ITEM	WIDTH
OPBB-243528	24"
OPBB-273528	27"
OPBB-303528	30"
OPBB-363528	36"

Custom Appliance Shelf Height/Width
 1 Drawer: 10" H

**POWER BURNER COVER MUST BE INSTALLED AT FACTORY
 *CANNOT BE INSTALLED ON SITE***

PBCOVER-24SS	24" Power Burner Cover, Stainless Steel
PBCOVER-27SS	27" Power Burner Cover, Stainless Steel
PBCOVER-30SS	30" Power Burner Cover, Stainless Steel
PBCOVER-36SS	36" Power Burner Cover, Stainless Steel
PBCOVER-24AL	24" Power Burner Cover, Aluminum
PBCOVER-27AL	27" Power Burner Cover, Aluminum
PBCOVER-30AL	30" Power Burner Cover, Aluminum
PBCOVER-36AL	36" Power Burner Cover, Aluminum

CERAMIC GRILL BASE



ITEM	WIDTH
OCGC-243528	24"
OCGC-303528	30"
OCGC-243530	24" (30" deep)
OCGC-303530	30" (30" deep)
OCGC-303532	30" (32" deep)
OCGC-303536	30" (36" deep)
OCGC-333530	33" (30" deep)
OCGDB-303530	For KJ Classic III
OCGDB-303536	For KJ Big Joe III

Shelf Height Adjusts to Grill Brand/Model
 24" - 1 Door (LH or RH),
 30" & 33" - 2 Door (LH/RH)
 24"W - Med. or LG. Grill , 30" & 33"W - LG or XL Grill
 28"D for Med or LG Grill, 30"D for LG or XL Grill

Please Provide Appliance(s) Brand & Model
Island is recommended. If unit is to remain stationary against a wall, the cabinet must be 28" Deep for a Medium Grill, 32" Deep for a Large Grill, and 36" Deep for an Extra Large Grill. (Kamado Joe II & III are exempt from these specifications due to Hinge Size & Grill Height)

CORNER CERAMIC GRILL BASE



ITEM	WIDTH
OICGC-403528	40"

Shelf Height Adjusts to Grill Brand/Model
 1 Door (LH or RH) Width = 13.75"
 Med., LG., or XL Grill
 CANNOT be at End of Cabinet Run or Beside Opening

BBO BUTLER

****NEW****



ITEM	WIDTH
BBQ-93528 R or L	9"

Pan door ONLY
 Must attach to side of cabinet
 Must specify Right or Left hinge

OUTSIDE ANGLE BASE



ITEM	DIMENSIONS
OAB-283528	

1 adjustable shelf
 Installs in corner or between two cabinets

CERAMIC GRILL STAND



ITEM	DIMENSIONS
OCGS-301728	30"W X 17" H

Please Provide Appliance(s) Brand & Model
Island is recommended. If unit is to remain stationary against a wall, the cabinet must be offset to accommodate certain Grill Brands/Models.

1 Drawer: 10" H

TABLE EXTENSION

****NEW****



ITEM	DIMENSIONS
TE-36	36"
TE-39	39"
TE-42	42"
TE-45	45"
TE-48	48"

ADDITIONAL SHELF FOR BASE



60 lb weight rating
Not Available for All Base Cabinets

ITEM	WIDTH
BLAS-1828	18"
BLAS-2128	21"
BLAS-2428	24"
BLAS-2728	27"
BLAS-3028	30"

OUTDOOR ISLAND BASE (OIB)



Available with Legs 4"H Adjustable or 3"H Casters (ADA legs n/a)
24"-71" = 4 Casters/Legs, 72"-96" = 6 Casters/ Legs
CANNOT be used with Free Standing Appliances (ex: refer)
Color Matches Cabinet Frame
Used for One Piece Build (Comparable to Coastals)

ITEM	WIDTH
OIB-24-48" x 24.875"D	24" - 48"
OIB-49-72" x 24.875"D	49" - 72"
OIB-73-96" x 24.875"D	73" - 96"

MAKES A ONE PIECE, FULLY ASSEMBLED UNIT

3.125" Shallower than cabinets
Example 28"D cabinet- 3.125"= 24.875"D Outdoor Island Base
Island Base with Casters adds 1 7/8" to Cabinet Height
Island Base with Legs adds 1 9/16" to Cabinet Height

COLUMN BAR SUPPORTS



40.25" high
18" deep countertop support for Challenger tops or customer supplied tops

ITEM	WIDTH
CS-5X5	5"
CS-5X14	5"

LOCKERS & OVERHEAD CABINETS

78" LOCKER



1 Door (LH or RH)
1 Full Width Adjustable Shelves
1 Full Width Adjustable Shelf with Coat Hanger
Must be Attached to a Wall
Cannot be used with an Outdoor Island Base
Comes with finished sides and back

ITEM	WIDTH
OCL-187829.5	18"
OCL-217829.5	21"
OCL-247829.5	24"
OCL-277829.5	27"
OCL-307829.5	30"

84" LOCKER



1 Door (LH or RH)
1 Full Width Adjustable Shelves
1 Full Width Adjustable Shelf with Coat Hanger
Must be Attached to a Wall
Cannot be used with an Outdoor Island Base
Comes with finished sides and back

ITEM	WIDTH
OCL-188429.5	18"
OCL-218429.5	21"
OCL-248429.5	24"
OCL-278429.5	27"
OCL-308429.5	30"

90" LOCKER



- 1 Door (LH or RH)
- 1 Full Width Adjustable Shelves
- 1 Full Width Adjustable Shelf with Coat Hanger
- Must be Attached to a Wall
- Cannot be used with an Outdoor Island Base
- Comes with finished sides and back
- 30" & 36" have 4 doors

ITEM	WIDTH
OCL-189029.5	18"
OCL-219029.5	21"
OCL-249029.5	24"
OCL-279029.5	27"
OCL-309029.5	30"
OCL-369029.5	36"

18" OVERHEAD



- 12" - 24" = 1 Door (LH or RH)
- 27" - 36" = 2 Door (LH/RH)
- Comes with finished sides

ITEM	WIDTH
KOC-121812	12"
KOC-151812	15"
KOC-181812	18"
KOC-211812	21"
KOC-241812	24"
KOC-271812	27"
KOC-301812	30"
KOC-331812	33"
KOC-361812	36"

24" OVERHEAD



- 1 Full Width Adj Shelf
- 12" - 24" = 1 Door (LH or RH)
- 27" - 36" = 2 Door (LH/RH)
- Comes with finished sides

ITEM	WIDTH
KOC-122412	12"
KOC-152412	15"
KOC-182412	18"
KOC-212412	21"
KOC-242412	24"
KOC-272412	27"
KOC-302412	30"
KOC-332412	33"
KOC-362412	36"

30" OVERHEAD



- 1 Full Width Adj Shelf
- 12" - 24" = 1 Door (LH or RH)
- 27" - 36" = 2 Door (LH/RH)
- Comes with finished sides

ITEM	WIDTH
KOC-123012	12"
KOC-153012	15"
KOC-183012	18"
KOC-213012	21"
KOC-243012	24"
KOC-273012	27"
KOC-303012	30"
KOC-333012	33"
KOC-363012	36"

36" OVERHEAD



- 2 Full Width Adj Shelves
- 12" - 24" = 1 Door (LH or RH)
- 27" - 36" = 2 Door (LH/RH)
- Comes with finished sides

ITEM	WIDTH
KOC-123612	12"
KOC-153612	15"
KOC-183612	18"
KOC-213612	21"
KOC-243612	24"
KOC-273612	27"
KOC-303612	30"
KOC-333612	33"
KOC-363612	36"

BLIND CORNER OVERHEAD



18" High -No Shelf
 24" & 30" - 1 Full Width Adj Shelf
 All Cabinets 1 Door (LH or RH)
 Comes with finished sides

ITEM	DIMENSIONS
OOBC-361812	36"W x 18" H
OOBC-362412	36" W x 24" H
OOBC-363012	36"W x 30" H
OOBC-363612	36"W x 36" H

INSIDE CORNER OVERHEAD



18" High -No Shelf
 24" & 30" - 1 Shelf
 All Cabinets 1 Door (LH or RH)
 CANNOT be at End of Cabinet Run or Beside Opening
 3" Filler panel recommended for door clearance
****SIDES NOT FINISHED****

ITEM	DIMENSIONS
KOIC-241812	24" W x 18" H
KOIC-242412	24" W x 24" H
KOIC-243012	24" W x 30" H
KOIC-243612	24" W x 36" H


ADDITIONAL SHELF FOR OVERHEAD



ITEM	WIDTH
OAS-12	12"
OAS-15	15"
OAS-18	18"
OAS-21	21"
OAS-24	24"
OAS-27	27"
OAS-30	30"
OAS-33	33"
OAS-36	36"

COUNTERTOP OPTIONS

ALUMINUM COUNTERTOPS



ALL PRICING IS COST PER LINEAL INCH
 .090 Aluminum Powdercoated
 Top overhang is 1" on all sides; unless against wall

ITEM	DESCRIPTION
ACT-13	Countertop, 13" D x 1.25" Thick
ACT- 29	Countertop, 29" D x 1.25" Thick
ACT-30	Countertop, 30 D x 1.25 Thick
ACT- 33	Countertop, 33"D x 1.25" Thick

ITEM	DESCRIPTION
ABS-4	BACKSPLASH, 4"H x 1"Thick

ITEM	DESCRIPTION
ABT-16	BAR TOP WITH RISERS, 16"D x 1.25"Thick Bar Top Corner Support Measurements: 8" W x 8"D x 5" H; Center Support Measurements: 12" W x 5" H Center Supports are needed for every 5' of Bar Top Countertop Overlap of Bar Top is 9", Edge Overhang of 7"

STAINLESS STEEL COUNTERTOPS



ALL PRICING IS COST PER LINEAL INCH
 16 Gauge food grade Stainless Steel
 Top overhang is 1" on all sides; unless against wall

ITEM	DESCRIPTION
SST-13	Countertop, 13"D x 1.25" Thick
SST-29	Countertop, 29" D x 1.25" Thick
SST-30	Countertop, 30"D x 1.25" Thick
SST-33	Countertop, 33"D x 1.25" Thick

ITEM	DESCRIPTION
SSBS -4	BACKSPLASH, 4"H x 1" Thick

SSBT-16	BAR TOP WITH RISERS, 16"D x 1.25" Thick
---------	---

ADD-ONS | OPTIONS

PREMIUM 30" SINK



ITEM	DESCRIPTION
SINK-30	30" Premium Sink and Sprayer Spring Faucet 304, 18G Stainless Steel, Undermount Sink Installation Brushed Satin Finish Sink Basin, Brushed Nickel Finished Spring Faucet Overall Dimensions: 31.25"W x 18"D x 9"H; Basin Dimensions: 29.25"W x 16"D Faucet Requires 20" Clearance Height Minimum 39" Sink Base with side mounted faucet

STANDARD SINK



ITEM	DESCRIPTION
SINK-16	15" Standard Sink and Faucet 201, 18G Stainless Steel, Undermount Installation Brushed Satin Finish Sink Basin, Brushed Nickel Finish Faucet Overall Dimensions: 15"W x 15"D x 5.5"H; Basin Dimensions: 13"W x 11.0625"D

ON DEMAND WATER SYSTEM

ITEM	DESCRIPTION
WTP	On Demand Water System 12 Volt Pump, Battery Not Included One 5-gal Fresh Water Tank One 5-gal Gray Water Tank

LEG OPTION

ITEM	DESCRIPTION
4ADALEGS	Set of 4- ADA Compliant Legs, 1.5"-2.5" Tall Cannot accommodate Toe Kick
4SSLEGS	Set of 4- SS Legs, 4"-6" Tall
4BLACKLEGS	Set of 4- BLACK SS Legs, 4"-6" Tall

TOWEL BAR / GRAB HANDLE

ITEM	DESCRIPTION
TBH	Towel bar Handle Towel Bar/Grab Handle for maneuvering units Adds 4 1/4" width to cabinet, 3 3/4" width to overall run

ADD-ONS | OPTIONS

END PANEL	ITEM	DESCRIPTION
	EP-28D	End Panel, 35"H x 28"D
	EP-30D	End Panel, 35"H x 30"D
	EP-32D	End Panel, 35"H x 32"D
	EP-36D	End Panel, 35"H x 36"D
		Includes 2 Count 1/2" Adjustable Feet Provides Countertop Support By Appliance Openings or Corners
FILLER PANEL		
	FP-13"H	Ceramic Grill Stand Filler Panel, (SPECIFY WIDTH)"W X 13"H
	FP-18"H	Overhead Filler Panel, (SPECIFY WIDTH)"W X 18"H
	FP-24"H	Overhead Filler Panel, (SPECIFY WIDTH)"W X 24"H
	FP-30"H	Overhead Filler Panel, (SPECIFY WIDTH)"W X 30"H
	FP-31"H	Base Filler Panel, (SPECIFY WIDTH)"W X 31"H
	FP-36"H	Overhead Filler Panel, (SPECIFY WIDTH)"W X 31"H
	FP-74"H	Locker Filler Panel, (SPECIFY WIDTH)"W X 74"H
	FP-80"H	Locker Filler Panel, (SPECIFY WIDTH)"W X 80"H
	FP-86"H	Locker Filler Panel, (SPECIFY WIDTH)"W X 90"H
FILLER ANGLE KIT		
	FAK-30D	Filler Angle Kit, 30 Degrees
	FAK-45D	Filler Angle Kit, 45 Degrees
		Kit Includes: 2 Angle Pieces & 2 Finished Back Panels (5.1875" W for 30 Degree & 9.3125"W for 45 Degree) Does Not Provide Countertop Support
OUTSIDE CORNER PANEL KIT	OCP-KIT	OUTSIDE CORNER PANEL KIT(SPECIFY WIDTHS) (Ships unassembled)
FINISHED SIDE PANEL	FSP-2831	28" d
		**To finish side of power burner base
FINISHED BACK PANEL	FBP- 31"H	Framed, Finished Back Panel, (SPECIFY WIDTH)"W X 31"H 6" Minimum Width 48" Maximum width Commonly used between Cabinets to Create an Appliance Opening
VENTED FINISHED BACK PANEL	FBP- 31"H	Framed, Finished Back Panel, (SPECIFY WIDTH)"W X 31"H 6" Minimum Width 48" Maximum width Commonly used between Cabinets to Create an Appliance Opening
FLUTED FILLER POST	DFP-31.5"H DFP-35"H	Fluted Filler Posts, 3"W x 3"D x 31.5"H Fluted Filler Posts, 3"W x 3"D x 34"H Ships with Adjustable Sleeve 31.5"H for ADA Legs, 35"H for Standard 4" Adjustable Legs
TOE KICK	17TK-94W	Toe Kick, 94" Powder Coated Aluminum Clips onto 4" Adjustable Legs Cut to size at installation CANNOT be used with ADA Legs
	TKPB	Toe Kick Back Panel Bracket
	TKFB	Toe Kick Filler Bracket
TOE KICK EXTENSIONS	TKE-2 TKE-3 TKE-4	1"x 2" x 94' Toe Kick Extension with Qty (2) -8" corners 1"x 3" x 94' Toe Kick Extension with Qty (2) -8" corners 1"x 4" x 94' Toe Kick Extension with Qty (2) -8" corners
SHEET METAL	PCP- (Specify Color)	Aluminum Finished Panel,(060), (SPECIFY HEIGHT AND WIDTH) ALL PRICING IS COST PER SQUARE FOOT
		48" x 94" max size
	PCP-SST	Stainless Steel Finished Panel, (SPECIFY HEIGHT AND WIDTH) ALL PRICING IS COST PER SQUARE FOOT
ACCESSORIES (shipped loose)	GRATEHANGER TOOLHOOK TOWELHOLDER	Grate Hanger, Stainless Steel Tool/Utensil Hook, Textured Black Paper Towel Holder, Textured Black (18", 21" or 24"w cabinets only)